INDEX

Page

Aamodt, O. S., and Hayes, H. K.: Inheritance of Winter Hardiness and Growth Habit in Crosses of Marquis with Minhardi and Minturki Wheats ... 223–236
Acacia, use in experiments with richweed ... 561, 565–566, 567, 569, 570
Acetaldehyde—
identification in pears ... 984–985
Occurrence in Bartlett Pears and Its Relation to Pear Scald and Breakdown: C. P. Harley and D. F. Fisher ... 983–993
quantitative study in pear tissues ... 985–991, 992
toxicity to pear tissues ... 991, 992
Acid—
dibasic amino, presence in corn pollen ... 274
Sulphuric, Use in Dehulling Barley Seed to Induce Infection with Covered Smut: Fred N. Briggs ... 907–914
Acidity—
soil. *See* Hydrogen-ion concentration.
titrable, measure of fermentation in sauerkraut ... 1025–1031, 1038
Acids, production in sauerkraut ... 1034–1037
Actinomyces—
boris, study in spleen of hog ... 835–838
Infection, Nodular Lesions in Spleen of Swine Caused by: G. T. Creech ... 835–841
Actinomycosis—
means of infection ... 840
swine, description ... 835
Aegilops ovata, hybridization, natural, studies ... 875–880
Agropyron spp., seed, characters, comparison ... 537–546
Alfalfa—
Hay—
and Rations of Different Calcium and Phosphorus Content: The Relative Assimilation of, by Dairy Cows: William A. Turner, T. Swann Harding, and Arthur M. Hartman ... 625–635
digestibility ... 371–378
Irrigated, Maturity, Relation to the Nutritive Value of First, Second, and Third Cuttings: Jerry Sotola ... 361–383
Alkalinity, soil. *See* Hydrogen-ion concentration.
Allison, F. E.: The Growth of *Bacillus radicicola* on Artificial Media Containing Various Plant Extracts ... 915–924
Ammonia, values in cereal glutenins ... 1100–1104, 1106–1110, 1112–1115, 1117, 1118
Anatomy, Physiological, of the Strawberry, Studies: Philip R. White ... 481–492
Ancylostoma caninum, removal with paradichlorobenzene ... 645–649
Anthelmintic, Paradichlorobenzene as: G. Dikmans ... 645–649
Anthocyan Pigments, Behavior in Canning: Charles W. Culpepper and Joseph S. Caldwell ... 107–132
Anystis agilis, predator of bud moth ... 359
Aphelenchus neglectus, identity as *Tylenchus pratensis* ... 961, 962
Aphids, strawberry, transmitters of xanthosis, study ... 1068–1074, 1076–1077, 1089
Apples—
canning, behavior of anthocyan pigments ... 114
dried, stored, moisture content at various humidities ... 900–904
Evaporated, Deterioration in Storage, Relation to Atmospheric Humidity: Charles W. Culpepper and Joseph S. Caldwell ... 889–906

Page

Arsenate, Lead, and Lime Spray Mixtures, A Study: P. A. Van der Meulen and E. R. Van Leeuwen ... 313–321
Artschwager, Ernst: Wound Periderm in the Potato as Affected by Temperature and Humidity ... 995–1000
Ascarids, removal from dogs with paradichlorobenzene ... 646, 647–649
Ascomycete Neurospora, Heterothallism and Homothallism, Nuclear Phenomena Associated with: B. O. Dodge ... 289–305
Ascomycetes, sex factors, segregation, discussion ... 296–303
Ash, content of seeds, experimental results ... 1005–1017
Aspergillus niger, cause of decay of cotton bolls ... 307–310
Atmosphere. *See* Humidity; Temperature.
Avenin, comparative study ... 1097, 1106–1107, 1115, 1117

Baboon, tumor caused by tapeworm, description ... 471–473
Bacillus radicicola, Growth on Artificial Media Containing Various Plant Extracts: F. E. Allison ... 915–924
Bacteria—
legume, growth study on artificial media ... 915–924
Root Nodule, of Pea Group, Strain Variations and Host Specificity of: G. E. Helz, I. L. Baldwin, and E. B. Fred ... 1039–1055
sauerkraut, number and kinds ... 1032–1034
Bacterial Stripe Blight of Oats: Charlotte Elliott ... 811–824
Bacterium—
coronafaciens, comparison with stripe blight of oats ... 811–824
pruni, The Production of Certain Enzymes by: S. L. Jodidi ... 219–221
striafaciens, n. sp., description ... 823
Baldwin, I. L.; Fred, E. B.; and Helz, G. E.: Strain Variations and Host Specificity of the Root-nodule Bacteria of the Pea Group ... 1039–1055
Barger, W. R., and Fawcett, H. S.: Relation of Temperature to Growth of *Penicillium italicum* and *P. digitatum* and to Citrus Fruit Decay Produced by These Fungi ... 925–931
Barley—
absorption of nutrients, effect on concentration of solution ... 749–754
glutelin, comparative study ... 1096–1097, 1108–1109, 1115, 1117
Seed, Dehulling with Sulphuric Acid to Induce Infection with Covered Smut: Fred N. Briggs ... 907–914
Baumhofer, Lynn G., and Graham, Samuel A.: The Pine Tip Moth in the Nebraska National Forest ... 323–333
Bean—
broad, inoculation experiments ... 1048
soy—
breeding experiments ... 75–95
seeds, chemical composition ... 77–78
Beans—
phospholipin content and its relation to other constituents ... 1007, 1008
soy—
effects of selection on iodine numbers of oil ... 81–89
growing, relation between water and potash supply ... 939–946

Page

Beans—Continued.
soy—continued.
heredity of chemical characters, report of studies 79–81
selection for oil quality, experimental results 81–88
Selection for Quality of Oil: L. J. Cole, E. W. Lindstrom, and C. M. Woodworth 75–95
Bechdel, S. I., and Honeywell, Hannah E.: The Relation Between the Vitamin B Content of the Feed Eaten and of the Milk Produced 283–288
Becker, R. B., and Gallup, Willis D.: Utilization of Grain in Kafir and Cane Silage by Dairy Cows 279–282
Beckett, R. E.: Growth of Fruiting Parts in *Gossypium cernuum*, an Asiatic Cotton 97–106
Bee larvae, foods, effect on duration of life 435–450, 451
Bees—
assimilation of carbohydrates, experimental results 385–424
longevity, effect of various foods on 397–424
over-wintering, food study 385–424
vitamin requirements 388–389
Beets, canning, behavior of anthocyan pigments 118, 121–122
Behre, C. Edward: Form-class Taper Curves and Volume Tables and Their Application 673–744
Berries—
canning, behavior of anthocyan pigments 115–116, 117–118, 120–121, 122
susceptibility to root-rot fungi 462–463, 464
Bertholf, L. M.: The Utilization of Carbohydrates as Food by Honeybee Larvae 429–452
Bethylidae, parasites of pine tip moth 331
Bindweed, Field, Herbicides for, Experiments with Sodium Chlorate and Other Chemicals: W. L. Latshaw and J. W. Zahnley 757–767
Black-rot fungus—
Ceratostomella adiposum (Butl.) Comb. Nov., of Sugar Cane, A Cytological Study: George B. Sartoris 577–585
development and habits 577–578
Bladder worms. *See* Tapeworm larvae.
Blight—
Bacterial Stripe, of Oats: Charlotte Elliott 811–824
halo, distinction from stripe blight of oats 811
stripe, of oats—
causal organism 814–823
comparison with other blights 819–824
geographical distribution 811–814
Blights, oat, physiological tests 820–823
Blotch, Pomegranate—
Frederick A. Wolf 465–469
fungus causing 465, 466–469
Bolls, Cotton—
Decays, The Two Most Common in the Southwestern States: Michael Shapovalov 307–312
Garo Hill, growth and maturation 103–106
Braconidae, parasite of pine tip moth 331
Braman, Winfred W.; Jeffries, C. D.; Swift R. W.; French, Rowland B.; Miller, Russell C.; Smythe, C. V.; Forbes, E. B.; and Kriss, Max: The Influence of Position of Cattle, as to Standing and Lying, on the Rate of Metabolism 947–960
Breakdown, pears. *See* Pear breakdown.
Breeding—
cabbage, for yellows-resistance 785–806
cotton, for smooth seeds 193–217
maize, factors affecting Mendelian ratios 39–73
soy beans, for quality of oil 75–95
wheat—
crossing of varieties for winter hardiness 223–236
studies in natural hybridization 865–887
Briggs, Fred N.: Dehulling Barley Seed with Sulphuric Acid to Induce Infection with Covered Smut 907–914

Page

Broad bean, inoculation experiments 1048
Bruce's Method of Preparing Timber-yield Tables, A Modification of: L. H. Reineke 843–856
Brunson, Arthur M., and Willier, J. G.: Factors Affecting the Popping Quality of Pop Corn 615–624
Bud moth. *See* Moth, bud.

Cabbage—
breeding, principles 786–787
composition 1022–1023
Development of Three Midseason Varieties Resistant to Yellows (*Fusarium conglutinans* Woll.): J. C. Walker, John Monteith, jr., and F. L. Wellman 785–809
fermentation, changes in temperature 1023–1025
resistance to yellows, breeding experiments 785–809
seed, propagation 788–789
varieties, crossing for yellows-resistance 791–806
Caconema radicicola, reactions of freesias toward 973–974
Calcium—
balance in feed of cows, experimental results 633–635
yield of irrigated alfalfa hay 378–379
Caldwell, Joseph S., and Culpepper, Charles W.—
The Behavior of the Anthocyan Pigments in Canning 107–132
The Relation of Atmospheric Humidity to the Deterioration of Evaporated Apples in Storage 889–906
Cane—
Silage, Utilization of Grain in, by Dairy Cows: R. B. Becker and Willis D. Gallup 279–282
stored, damage by black-rot fungus 577–578
Sugar, the Black-rot Fungus of, *Ceratostomella adiposum* (Butl.) Comb. Nov., A Cytological Study: George B. Sartoris 577–585
Canning—
Behavior of Anthocyan Pigments in: Charles W. Culpepper and Joseph S. Caldwell 107–132
discoloration of fruits, relation to anthocyan pigments 108–124
Cans, fruit, corrosion and perforation, relation to anthocyan pigments 124–128
Carbohydrases, presence in corn pollen 266, 275
Carbohydrates—
comparison in food value for bee larvae 449
digestion by insects 429–433
effect on longevity of bees 397–424
sources and availability for bees 390–394, 406
Utilization—
as Food by Honeybee Larvae: L. M. Bertholf 429–452
by Honeybees: E. F. Phillips 385–428
Cattle—
dairy. *See* Cows, dairy.
energy cost of standing and lying, study 947–960
feeding experiments with alfalfa hay 364, 365
Metabolism, Rate, The Influence of Position as to Standing and Lying: E. B. Forbes, Max Kriss, Winfred W. Braman, C. D. Jeffries, R. W. Swift, Rowland B. French, Russell C. Miller, and C. V. Smythe 947–960
Cells, solanaceous plants, structural changes from virus diseases 651–671
Centrifugal force, effect on concentration of virus 28–34
Ceratostomella adiposum—
(Butl.) Comb. Nov., the Black-rot Fungus of Sugar Cane; A Cytological Study of: George B. Sartoris 577–585
cytology 578–585
See also Black-rot fungus.
Cercospora lythracearum, stage of *Mycosphaerella lythracearum*, n. sp 465, 469
Cereals, glutelins of, comparative study 1091–1120
Chalcidoidea, parasites of pine tip moth 331
Cherries, canning, behavior of anthocyan pigments 116–117, 120

Page

Chlorate, Sodium, and Other Chemicals, as Herbicides for Field Bindweed, Experiments: W. L. Latshaw and J. W. Zahnley 757–767
Chromosomes—
Supernumerary, in *Zea mays*: A. E. Longley 769–784
Zea mays, characteristics 770–776
Citrus Fruit, Decay Produced by *Penicillium italicum* and *P. digitatum*, Relation of Temperature to: H. S. Fawcett and W. R. Barger 925–931
Climate, effect on natural crossing in wheat 867
Clothing, transmission of ultra-violet rays, study 251–259
Clover—
Hay, The Relative Assimilation of, by Dairy Cows, and Rations of Different Calcium and Phosphorus Content: William A. Turner, T. Swann Harding, and Arthur M. Hartman 625–635
red, nodule bacteria growth in plant extracts 919–920
See also Hay; Hays.
Coenurus. *See* Tapeworm larvae.
Cold storage, pears, relation of scalding to acetaldehyde content 986–987, 990–991
Cole, L. J.; Lindstrom, E. W.; and Woodworth, C. M.: Selection for Quality of Oil in Soy Beans 75–95
Collybia dryophila Fr.—
A Variety of, Cause of Root Rot of Lucretia Dewberry: R. F. Poole 453–464
history and distribution 453–455
inoculation on dewberry plants, results 460–462
life history 456–460
parasitism, discussion 462–463
Convolvulus arvensis. *See* Bindweed, field.
Cork, wound, potato tuber, effect of temperature and humidity 995–1000
Corn—
glutelin, comparative study 1096, 1097, 1107, 1115, 1117
Pollen, Nitrogenous Constituents of: Carl G. Vinson 261–278
pop. *See* Pop corn.
popping—
process, explanation 615–616
Quality, Factors Affecting: J. G. Willier and Arthur M. Brunson 615–624
tests 617–623
Proteins, The Supplementary Relation to Proteins of Tankage, Determined by Metabolism Experiments on Swine: H. H. Mitchell and C. H. Kick 857–864
seedlings, soil nemas as parasites 970–973
seeds, phospholipin content and its relation to other constituents 1006, 1008
starch content, effect on popping quality 615–624
Sweet—
Seed, Quality Determination by Means of the Optical Measurement of Leached Materials: Charles F. Hottes and Walter A. Huelsen 147–166
See also Maize.
Corns, classification on starch content 615
Cotton—
Asiatic, *Gossypium cernuum*, Fruiting Parts, Growth in: R. E. Beckett 97–106
Bolls, Decays, The Two Most Common in the Southwestern States: Michael Shapovalov 307–312
breeding for smooth seeds 193–217
cross-breeding, inheritance of seed-coat character 197–211, 215–216
fibers, screening effect on ultra-violet rays 254–259
Garo Hill, fruiting parts, growth 98–106
Inheritance of Smooth Seeds in: Thomas H. Kearney and George J. Harrison 193–217
Seed characters, linkage relations 212–214
seed-coat characters—
inheritance, discussion 193–197
inheritance in cross-breeding 197–211
Seeds, Smooth, Inheritance: Thomas H. Kearney and George J. Harrison 193–217
wool. *See* Cotton, Garo Hill.

Page

Couch, James Fitton: The Toxic Constituent of Richweed or White Snakeroot (*Eupatorium urticaefolium*) 547–576
Covered Smut, Barley, Infection Induced by Dehulling Seed with Sulphuric Acid: Fred N. Briggs 907–914
Cows—
dairy—
lactation curve theory 238–243
Deferred Short-time Test as a Measure of the Performance of: W. L. Gaines 237–249
Relative Assimilation of Clover and Alfalfa Hays and of Rations of Different Calcium and Phosphorus Content: William A. Turner, T. Swann Harding, and Arthur M. Hartman 625–635
Utilization of Grain in Kafir and Cane Silage: R. B. Becker and Willis D. Gallup 279–282
experimental rations for vitamin B in milk 283–287
fasting, effect on yield and composition of milk 637–644
feeding experiments 283–287, 633–635
Guernsey, fat and milk yields 243, 245
Holstein, fat and milk yields 244, 246
Inanition, The Effect upon the Yield and Composition of Milk: O. R. Overman and K. E. Wright 637–644
metabolism, effect of calcium-phosphorus ratio 633–635
milk production, feeding experiments for 283–287
underfeeding, effect on milk production 637
Creech, G. T.: Nodular Lesions in the Spleen of Swine Caused by Actinomyces Infection 835–841
Cross-breeding—
cotton, inheritance of seed-coat characters 197–211, 215–216
wheat, for winter hardiness and growth habit 223–236
Cucumber extract, effect on potency of mosaic virus of tobacco 6–10
Culpepper, Charles W., and Caldwell, Joseph S.—
The Behavior of the Anthocyan Pigments in Canning 107–132
The Relation of Atmospheric Humidity to the Deterioration of Evaporated Apples in Storage 889–906
Cytology—
Studies on Virus Diseases of Solanaceous Plants: Ismé A. Hoggan 651–671
Study of *Ceratostomella adiposum* (Butl.) Comb. Nov., the Black-Rot Fungus of Sugar Cane: George B. Sartoris 577–585

Dairy Cows. *See* Cows, dairy.
Dairying, deferred short-time production of cows 237–248
Davidson, Jehiel: Effect of Hydrogen-ion Concentration on the Absorption of Phosphorus and Potassium by Wheat Seedlings 335–346
Decay—
Citrus Fruit, Produced by *Penicillium italicum* and *P. digitatum*, Relation to Temperature: H. S. Fawcett and W. R. Barger 925–931
Decays, Cotton Bolls, The Two Most Common in the Southwestern States: Michael Shapovalov 307–312
Deer wort. *See* Richweed.
Dehulling Barley Seed with Sulphuric Acid to Induce Infection with Covered Smut: Fred N. Briggs 907–914
Dewberry—
Lucretia, A Root Rot Caused by a Variety of *Collybia dryophila* Fr.: R. F. Poole 453–464
plant, inoculation with root-rot fungus 460–462
root rot, symptoms and cause 455–460
Dextrins, feeding to bees, experimental results 414–415, 424
Dicocco-glutenin, comparative study 1097, 1102–1103, 1115, 1117
Dikmans, G.: Paradichlorobenzene as an Anthelmintic 615–649

Page

Disaccharides, feeding to bee larvae, results 438–443, 449, 450–451
Discoloration, canned fruits, relation of anthocyan pigments 108–124
Dodge, B. O.: Nuclear Phenomena Associated with Heterothallism and Homothallism in the Ascomycete Neurospora 289–305
Dogs, effect of tapeworm larvae upon 474–476
Drainage, irrigation, removal of salts, need 756
Duro-glutenin, comparative study 1097, 1101–1102, 1115, 1117
Dysentery, honeybees, causes 385–386, 424

Einkorn, glutenin, comparative study 1097, 1103–1104
Electrodes, Quinhydrone and Hydrogen, A Comparative Study of, for Determining the Hydrogen-ion Concentration of Soils: E. F. Snyder 825–834
Elliott, Charlotte: Bacterial Stripe Blight of Oats 811–824
Emmer—
glutelin, comparative study 1097, 1102–1103, 1115, 1117
hybridization, natural, studies 875–876, 879–880, 883
Enzymes—
bee larvae, study 449–450
Production of Certain, by *Bacterium pruni:* S. L. Jodidi 219–221
proteolytic, presence in corn pollen 264, 266, 275
sources in bee digestion 386–392
Eupatorium urticaefolium. *See* Richweed.
Eye-spotted bud moth. *See* Moth, bud.

Fabrics, protection against sunburn, experimental study 251–259
Fasting, cows, effect on yield and composition of milk 637–644
Fat—
content of seeds, experimental results 1005–1017
production, deferred short-time test for dairy cows 237–248
Fawcett, H. S., and Barger, W. R.: Relation of Temperature to Growth of *Penicillium italicum* and *P. digitatum* and to Citrus Fruit Decay Produced by these Fungi 925–931
Feeding—
cattle, heat production computation factors 947
cows, for vitamin B in milk 283–287
experiments with dairy cows 279–282
livestock, experiments with alfalfa hay 364–381
salt, recommendations 182
Feeds—
assimilation by dairy cows, experiments 625–635
calcium-phosphorus ratio, effect on metabolism of cow 633–635
hog, digestibility experiments 857–863
Vitamin B Content, Relation to (Vitamin B Content of) Milk Produced: S. I. Bechdel and Hannah E. Honeywell 283–288
Fermentation, cabbage for sauerkraut, changes in temperature 1023–1025
Fertilization, Optimum, Chemical Control of, the Current Mineral Nutrient Content of the Plant Solution as a Possible Means: Basil E. Gilbert and Leo J. Hardin 185–192
Fertilizers, potash, relation to water in plant production 939–946
Fibers, Textile, Protection to Skin against Sunburn: Katherine Hess, J. O. Hamilton, and Margaret Justin 251–259
Filtration, virus, effect on inoculation results 25–28
Fisher, D. F., and Harley, C. P.: The Occurrence of Acetaldehyde in Bartlett Pears and Its Relation to Pear Scald and Breakdown 983–993
Forbes, E. B.; Kriss, Max; Braman, Winfred W.; Jeffries, C. D.; Swift, R. W.; French, Rowland B.; Miller, Russell C.; and Smythe, C. V., The Influence of Position of Cattle, as to Standing and Lying, on the Rate of Metabolism 947–960
Forest, National, Nebraska, The Pine Tip Moth in: Samuel A. Graham and Lynn G. Baumhofer 323–333

Page

Form-class Taper Curves and Volume Tables and Their Application: C. Edward Behre 673–744
Fragaria spp., vascular system 490, 491
Fred, E. B.—
Helz, G. E.; and Baldwin, I. L.: Strain Variations and Host Specificity of the Root-nodule Bacteria of the Pea Group 1039–1055
Peterson, W. H.; McConkie, J. E.; Vaughn, W. E.; and Parmele, H. B.: Relation of Temperature to Rate and Type of Fermentation and to Quality of Commercial Sauerkraut 1021–1038
Freesias, reactions toward root-knot nematode 973–974
French, Rowland B.; Miller, Russell C.; Smythe, C. V.; Forbes, E. B.; Kriss, Max; Braman, Winfred W.; Jeffries, C. D.; and Swift, R. W.: The Influence of Position of Cattle, as to Standing and Lying, on the Rate of Metabolism 947–960
Frost, S. W.: Notes on the Life History of the Bud Moth, *Spilonota ocellana* D. & S. 347–359
Fruit, Citrus, Decay Produced by *Penicillium italicum* and *P. digitatum*, Relation of Temperature to: H. S. Fawcett and W. R. Barger 925–931
Fruiting Parts, Cotton, Asiatic, *Gossypium cernuum*, Growth in: R. E. Beckett 97–106
Fruits—
canning, behavior of anthocyan pigments 107–132
discoloration in canning, cause 108–124
dried, storage factors 889
Fungi—
cause of decay of cotton bolls 307–312
decay-producing, citrus fruits, relation to temperature 925–931
Fungus—
black-rot. *See* Black-rot fungus.
cause of vanilla root rot 1123–1135
See also Penicillium.
Fusarium—
batatatis var. *vanillae*, n. var., cause of root rot 1127–1135
conglutinans. *See* Yellows, cabbage.

Gaines, W. L.: The Deferred Short-time Test as a Measure of the Performance of Dairy Cows 237–249
Gallup, Willis D., and Becker, R. B.: Utilization of Grain in Kafir and Cane Silage by Dairy Cows 279–282
Gametes, maize, viability 50–56
Garo Hill cotton, fruiting parts, growth 97–106
Gericke, W. F.: Why Applications of Nitrogen to Land May Cause Either Increase or Decrease in the Protein Content of Wheat 133–139
Germination, effect on phosphorus and other constituents of seeds 1011–1017
Gilbert, Basil E., and Hardin, Leo J.: The Current Mineral Nutrient Content of the Plant Solution as a Possible Means of Chemical Control of Optimum Fertilization 185–192
Glucose, feeding to bees, experimental results 421–422
Glutelins—
Cereal Grains, A Comparative Study of: Ralph Larmour 1091–1120
nomenclature, suggestions 1097
Glutenin—
rice, comparative study 1097, 1110, 1115, 1117, 1118
wheat, comparative study 1092–1094, 1097, 1099–1100, 1101–1102, 1115, 1117, 1118
Gossypium cernuum, Cotton, Asiatic, Growth of Fruiting Parts in: R. E. Beckett 97–106
Graham, Samuel A., and Baumhofer, Lynn G.: The Pine Tip Moth in the Nebraska National Forest 323–333
Grain—
Kafir and Cane in Silage, Utilization by Dairy Cows: R. B. Becker and Willis D. Gallup 279–282
losses through manure by dairy cows 280–282
protein content, factors causing variation 133–134
Grains, Cereal, Glutelins of, A Comparative Study: Ralph K. Larmour 1091–1120

Page

Grapes—
canning, behavior of anthocyan pigments ... 112–114, 119–120
root parasites ... 969–970
Grass, Quack, Seeds, Comparison with Certain Wheat Grasses: Helen H. Henry ... 537–546
Grasses, Wheat, Seeds, Comparison with Quack Grass: Helen H. Henry ... 537–546
Gravity, effect on concentration of virus ... 28–34
Guernsey cows, fat and milk yields ... 243, 245
Guerrant, N. B.: Some Relations of the Phospholipins in Seeds to Other Constituents ... 1001–1019

Halo blight, distinction from stripe blight of oats ... 811
Hamilton, J. O.; Justin, Margaret; and Hess, Katherine: Protection Afforded the Skin against Sunburn by Textile Fibers ... 251–259
Hardin, Leo J., and Gilbert, Basil E.: The Current Mineral Nutrient Content of the Plant Solution as a Possible Means of Chemical Control of Optimum Fertilization ... 185–192
Harding, T. Swann; Hartman, Arthur M.; and Turner, William A.: The Relative Assimilation by Dairy Cows of Clover and Alfalfa Hays, and of Rations of Different Calcium and Phosphorus Content ... 625–635
Hardiness, Winter Wheat, Comparative Studies: John H. Martin ... 493–535
Harley, C. P., and Fisher, D. F.: The Occurrence of Acetaldehyde in Bartlett Pears and Its Relation to Pear Scald and Breakdown ... 983–993
Harrison, George J., and Kearney, Thomas H.: Inheritance of Smooth Seeds in Cotton ... 193–217
Hartman, Arthur M.; Turner, William A.; and Harding, T. Swann: The Relative Assimilation by Dairy Cows of Clover and Alfalfa Hays and of Rations of Different Calcium and Phosphorus Content ... 625–635
Hay—
alfalfa, irrigated, maturity relation to nutritive value ... 361–383
calcium and phosphorus content, assimilation by dairy cows ... 625–635
Hayes, H. K., and Aamodt, O. S.: Inheritance of Winter Hardiness and Growth Habit in Crosses of Marquis with Minhardi and Minturki Wheats ... 223–236
Hays—
alfalfa, chemical analysis and digestibility ... 362–364
Clover and Alfalfa and Rations of Different Calcium and Phosphorus Content, the Relative Assimilation by Dairy Cows: William A. Turner, T. Swann Harding, and Arthur M. Hartman ... 625–635
Heat—
effect on iodized salt ... 178–179, 182
production, cattle, standing and lying, study ... 947–960
Helminthosporium sativum, cause of mosaic disease, disproval ... 590–594, 613
Helz, G. E., Baldwin, I. L., and Fred, E. B.: Strain Variations and Host Specificity of the Root-nodule Bacteria of the Pea Group ... 1039–1055
Henry, Helen H.: The Seeds of Quack Grass and Certain Wheat Grasses Compared ... 537–546
Herbicides—
effect on soil ... 765–766
for Field Bindweed, Experiments with Sodium Chlorate and Other Chemicals: W. L. Latshaw and J. W. Zahnley ... 757–767
Heredity—
factors affecting in maize ... 39–73
soy beans, chemical characters, report of studies ... 79–81
Herrington, B. L., and Johnson, Arnold H.: Factors Influencing the Loss of Iodine from Iodized Salt ... 167–183

Page

Hess, Katherine; Hamilton, J. O.; and Justin, Margaret: Protection Afforded the Skin against Sunburn by Textile Fibers ... 251–259
Heterodera schachtii, similarity to root-knot nematode ... 973–974
Heterothallism, Nuclear Phenomena Associated with, in the Ascomycete Neurospora: B. O. Dodge ... 289–305
Hill, Donald D., and Salmon, S. C.: The Resistance of Certain Varieties of Winter Wheat to Artificially Produced Low Temperatures ... 933–937
Hoggan, Ismé A.: Cytological Studies on Virus Diseases of Solanaceous Plants ... 651–671
Hogs. *See* Swine.
Holstein cows, fat and milk yields ... 244–246
Homothallism, Nuclear Phenomena Associated with, in the Ascomycete Neurospora: B. O. Dodge ... 289–305
Honey, poisoning by, report of occurrence ... 422
Honeybee Larvae, Utilization of Carbohydrates as Food: L. M. Bertholf ... 429–452
Honeybees—
dysentery, causes ... 385–386
Utilization of Carbohydrates by: E. F. Phillips ... 385–428
See also Bees.
Honeys, food value for bee larvae ... 446–448
Honeywell, Hannah E., and Bechdel, S. I.: The Relation between the Vitamin B Content of the Feed Eaten and of the Milk Produced ... 283–288
Hookworms, removal from dogs with paradichlorobenzene ... 646–647, 649
Hoplolaimus coronatus, parasite of sugar cane, corn, red clover, and alfalfa ... 967–969
Hordenin, comparative study ... 1097, 1108–1109, 1115, 1117
Hottes, Charles F., and Huelsen, Walter A.: The Determination of Quality in Sweet Corn Seed by Means of the Optical Measurement of Leached Materials ... 147–166
Huelsen, Walter A., and Hottes, Charles F.: The Determination of Quality in Sweet Corn Seed by Means of the Optical Measurement of Leached Materials ... 147–166
Hulling. *See* Dehulling.
Humidity—
Atmospheric, Relation to Deterioration of Evaporated Apples in Storage: Charles W. Culpepper and Joseph S. Caldwell ... 889–906
effect on formation of wound periderm in potato tuber ... 995–1000
effects on iodized salt ... 171–172, 181, 182
See also Moisture.
Hybridization, Natural, of Wheat, Studies: Clyde E. Leighty and J. W. Taylor ... 865–887
Hybrids—
cotton, inheritance of seed-coat character ... 202–211
wheat—
natural, 1918, 1921, 1924–1926, varieties ... 868–880
occurence and recognition ... 866
Hydrogen—
electrode, determination of hydrogen-ion concentration of soils ... 825–834
electrodes, plating, results on soil suspensions ... 831–832
Hydrogen-ion Concentration—
Effect on the Absorption of Phosphorus and Potassium by Wheat Seedlings: Jehiel Davidson ... 335–346
measure of fermentation in sauerkraut ... 1025–1031, 1038
soil, comparison on buffer solutions ... 832–833

Ichneumonidae, parasites of pine tip moth ... 331
Inanition, the effect upon the Yield and Composition of Cows' Milk: O. R. Overman and K. E. Wright ... 637–644
Indian sanicle. *See* Richweed.
Infection, Covered Smut, Inducement by Dehulling Barley Seed With Sulphuric Acid: Fred N. Briggs ... 907–914

Page

Inheritance—
factors affecting, in maize ... 39–73
of Smooth Seeds in Cotton: Thomas H. Kearney and George J. Harrison ... 193–217
seed-coat character, in cotton hybrids ... 202–211
wheat, experimental results ... 227–235
Winter Hardiness and Growth Habit in Crosses of Marquis with Minhardi and Minturki Wheats: H. K. Hayes and O. S. Aamodt ... 223–236
Inoculation—
aerial roots of vanilla, method ... 1131–1132
animals, with ray fungus ... 838–840
broad bean, experiments ... 1048
dewberry plants, with root-rot fungus ... 460–462
experiments with oat blights ... 815–818
legume bacteria, study with various plant extracts ... 915–924
mosaic virus on tobacco plants, experiments ... 17–25
peas, with various cultures, results ... 1043–1047
results, effect of filtration of virus ... 25–28
Insects—
digestion of carbohydrates ... 429–433
transmission of strawberry xanthosis ... 1062, 1064, 1068–1074, 1076–1077, 1089
Inulin, feeding to bees, experimental results ... 419–420
Iodine—
Loss from Iodized Salt, Factors Influencing: Arnold H. Johnson and B. L. Herrington ... 167–183
numbers—
oil, of different seeds ... 76, 78–79, 82
soy-bean oil, effects of selection ... 81–89
Irrigation water, salts absorption, study ... 745–756
Hoplocrtis obesus, parasite of bud moth ... 358

Japanese millet, growing, relation between water and potash supply ... 939–946
Jeffries, C. D.; Swift, R. W.; French, Rowland B.; Miller, Russell C.; Smythe, C. V.; Forbes, E. B.; Kriss, Max; and Braman, Winfred W.: The Influence of Position of Cattle, as to Standing and Lying, on the Rate of Metabolism ... 947–960
Jodidi, S. L.: The Production of Certain Enzymes by *Bacterium prunî* ... 219–221
Johnson, Arnold H., and Herrington, B. L.: Factors Influencing the Loss of Iodine from Iodized Salt ... 167–183
Justin, Margaret; Hess, Katherine; and Hamilton, J. O.: Protection Afforded the Skin against Sunburn by Textile Fibers ... 251–259

Kafir Silage, Utilization of Grain in, by Dairy Cows: E. B. Becker and Willis D. Gallup ... 279–282
Kearney, Thomas H., and Harrison, George J.: Inheritance of Smooth Seeds in Cotton ... 193–217
Kempton, J. H.: Age of Pollen and Other Factors Affecting Mendelian Ratios in Maize ... 39–74
Kernel Texture, Wheat, Hard Red Spring, Correlation with Protein Content and Test Weight per Bushel: J. H. Shollenberger and Corinne Failyer Kyle ... 1137–1151
Kick, C. H., and Mitchell, H. H.: The Supplementary Relation between the Proteins of Corn and of Tankage Determined by Metabolism Experiments on Swine ... 857–864
Kraut. *See* Sauerkraut.
Kriss, Max; Braman, Winfred W.; Jeffries, C. D.; Swift, R. W.; French, Rowland B.; Miller, Russell C.; Smythe, C. V., and Forbes, E. B.: The Influence of Position of Cattle, as to Standing and Lying, on the Rate of Metabolism ... 947–960
Kyle, Corinne Failyer, and Shollenberger, J. H.: Correlation of Kernel Texture, Test Weight per Bushel, and Protein Content of Hard Red Spring Wheat ... 1137–1151

Page

Lactation curve theory for dairy cows ... 238–243
Lambs, feeding experiments with alfalfa hay ... 364–365, 366–368
Land, Nitrogen Applications, Cause of Either Increase or Decrease in Protein Content of Wheat: W. F. Gericke ... 133–139
Larmour, Ralph K.: A Comparative Study of the Glutelins of the Cereal Grains ... 1091–1120
Larvae—
Honeybee, Utilization of Carbohydrates as Food: L. M. Berthold ... 429–452
Tapeworm, Reared to Maturity in Dog, Experimentally, Cause of Subcutaneous Tumor in a Primate: Benjamin Schwartz ... 471–480
Lathyrus odoratus, inoculation experiments ... 1048–1051
Latshaw, W. L., and Zahnley, J. W.: Experiments with Sodium Chlorate and Other Chemicals as Herbicides for Field Bindweed ... 757–767
Leaching, effect on quality of sweet corn seed ... 147–166
Lead Arsenate and Lime Spray Mixtures, A Study: P. A. Van der Meulen and E. R. Van Leeuwen ... 313–321
Leaf mottling, tobacco. *See* Mosaic, tobacco.
Legumes, inoculation with red clover nodule bacteria ... 918–919, 921, 923
Leighty, Clyde, E., and Taylor, J. W.: Studies in Natural Hybridization of Wheat ... 865–887
Lens esculenta. *See* Lentil.
Lentil, inoculation experiments ... 1051–1052
Lesions, Nodular, in Spleen of Swine Caused by Actinomyces Infection: G. T. Creech ... 835–841
Lilac, nema parasite in roots ... 975
Lily-of-the-valley, root parasite ... 961–967
Lime Spray and Lead Arsenate Mixtures, Study: P. A. Van der Meulen and E. R. Van Leeuwen ... 313–321
Lindstrom, E. W.; Woodworth, C. M.; and Cole, L. J.: Selection for Quality of Oil in Soy Beans ... 75–95
Linen fibers, screening effect on ultra-violet rays ... 254–259
Lipoid phosphorus. *See* Phospholipins.
Livestock, feeding experiments with alfalfa hays ... 364–381
Longley, A. E.: Supernumerary Chromosomes in *Zea mays* ... 769–784
Lucretia dewberry. *See* Dewberry.

McConkie, J. E.; Vaughn, W. E.; Parmele, H. B.; Fred, E. B.; and Peterson, W. H.: Relation of Temperature to Rate and Type of Fermentation and to Quality of Commercial Sauerkraut ... 1021–1038
McKinney, H. H.—
Factors Affecting Certain Properties of a Mosaic Virus ... 1–12
Quantitative and Purification Methods in Virus Studies ... 13–38
Maize—
breeding, factors affecting Mendelian ratios ... 39–73
chromosomes, study in mother cells ... 769–783
gametes, viability of waxy and sweet genes ... 50–56
gametic ratios in stored pollen ... 68–73
Mendelian Ratios in, Age of Pollen and Other Factors Affecting: J. H. Kempton ... 39–74
seeds—
color factor, effect of stored pollen ... 64–68, 71–72
waxy and horny, ratio in heterozygous parents ... 42–48, 71
silk length, study in relation to seed characters ... 48–50
See also Corn.
Martin, John H.: Comparative Studies of Winter Hardiness in Wheat ... 493–535

Mendelian— Page
inheritance, basis of theory 39
Ratios in Maize, Age of Pollen and Other Factors Affecting: J. H. Kempton 39-74
Metabolism—
Cattle, Rate, Influence of Position as to Standing and Lying on: E. B. Forbes, Max Kriss, Winfred W. Braman, C. D. Jeffries, R. W. Swift, Rowland B. French, Russell C. Miller, and C. V. Smythe 947-960
cows, changes produced in feeding experiments 633-635
Nitrogen Compounds in Dormant and Nondormant Potato Tubers: William Newton 141-146
Swine, Experiments on to Determine the Supplementary Relation between the Proteins of Corn and of Tankage: C. H. Kick and H. H. Mitchell 857-864
Milk—
composition—
effects of fasting period of cow 638-644
relation to composition of feed 627-628
lactation curve theory 238-243
production, deferred short-time test for dairy cows 237-248
sickness, cause, etc., study 547-576
Vitamin B Content, Relation to (Vitamin B Content of) Feed Eaten: S. I. Bechdel and Hannah E. Honeywell 283-288
Yield—
and Composition, The Effect of Inanition of Cow upon: O. R. Overman and K. E. Wright 637-644
effects of fasting period 640-644
relation to composition of feed 629-633
Miller, Russell C.; Smythe, C. V.; Forbes, E. B.; Kriss, Max; Braman, Winfred W.; Jeffries, C. D.; Swift, R. W.; and French Rowland B.: The Influence of Position of Cattle, as to Standing and Lying, on the Rate of Metabolism 947-960
Millet, Japanese, growing, relation between water and potash supply 939-946
Mitchell, H. H., and Kick, C. H.: The Supplementary Relation between the Proteins of Corn and of Tankage Determined by Metabolism Experiments on Swine 857-864
Moisture—
content, wheat, study 501-505, 527-528
soil—
effect on development of wheat mosaic 590-597, 610-611
relation to winterkilling of wheat 937
See also Humidity.
Mold, oranges, relation to temperature 925-931
Monococco-glutenin, comparative study 1097, 1103-1104, 1115, 1117
Monosaccharides, feeding to bee larvae, results 436-437, 449, 450-451
Monteith, John, jr.; Wellman, F. L.; and Walker, J. C.: Development of Three Midseason Varieties of Cabbage Resistant to Yellows (*Fusarium conglutinans* Woll.) 785-809
Morse, Fred W.: Relation between Water and Potash in Plant Production 939-946
Mosaic—
cause of structual changes in solanaceous plants 653-669
Disease, Soil Factors Influencing the Development of, in Winter Wheat: Robert W. Webb 587-614
infection, influence of period of exposure 599-605
tobacco—
factors affecting certain properties of virus 2, 3-10
plant-culture methods of study 15-25
toxicity of plant extracts to 6-10
virus studies, methods 15-36
Virus—
Factors Affecting Certain Properties of: H. H. McKinney 1-12
innoculation experiments on tobacco plants 17-25
quantitative and purification methods in studies 13-38
resistance to cold 611

Mosaic—Contained. Page
Virus—Continued.
thermal inactivation, factors affecting 3-10
tobacco, factors affecting potency 3-10
wheat—
development, effect of seeding date 596-598
development, effect of temperature and moisture of soil 592-595, 612
Moth—
bud—
damage by in Pennsylvania 347-348, 359
Spilonota ocellana, D. & S., Life History, Notes: S. W. Frost 347-359
Pine Tip—
in the Nebraska National Forest: Samuel A. Graham and Lynn G. Baumhofer 323-333
parasites in Nebraska 330-332
Mottling—
leaf, of tobacco. *See* Mosaic, tobacco.
wheat. *See* Mosaic, wheat.
Multiceps—
serialis var. *theropitheci*, host relationships, study 471-480
spp., description 473-474
Mycosphaerella lythraceanum n. sp.—
cause of pomegranate blotch 466-469
description and life history 466-468
Myzus fragaefolii. *See* Aphids, strawberry.

Nebraska National Forest, The Pine Tip Moth in: Samuel A. Graham and Lynn G. Baumhofer 323-333
Nemas—
orchid parasites, description 976-981
soil, injury to corn seedlings 970-973
Tylenchus pratensis and Other, Attacking Plants: G. Steiner 961-981
See also Nematode.
Nematode—
root-knot, reactions of freesias toward 973-974
sugar-beet, similarity to root-knot nematode 973-974
See also Nemas.
Neurospora—
Ascomycete, Heterothallism and Homothallism, Nuclear Phenomena Associated with: B. O. Dodge 289-305
spp., sex factors, segregation 300-303
tetrasperma, nuclei, behavior 289-305
Newton, William: Metabolism of Nitrogen Compounds in Dormant and Nondormant Potato Tubers 141-146
Nitrates, effect on dormancy of potato tubers 144-145
Nitrogen—
Applications to Land, Cause of Either Increase or Decrease in Protein Content of Wheat: W. F. Gericke 133-139
cereal glutenins, distribution and value 1100-1111, 1113-1117
Compounds, Metabolism, in Dormant and Nondormant Potato Tubers: William Newton 141-146
Constituents of Corn Pollen: Carl G. Vinson 261-278
fixation by *Bacillus radicicola*, study 918, 919, 921
metabolism—
livestock, studies with alfalfa 379-381
studies on pigs 857-863
plant, study in chemical control of optimum fertilization 187-189
use in experiments with *Bacillus radicicola* 921-923
Nodular Lesions, in Spleen of Swine Caused by Actinomyces Infection: G. T. Creech 835-841
Nodule, Root, Bacteria, of Pea Group, Strain Variations and Host Specificity of: G. E. Helz, I. L. Baldwin and E. B. Fred 1039-1055
Nuclear Phenomena Associated with Heterothallism and Homothallism in the Ascomycete Neurospora: B. O. Dodge 289-305
Nutrition, livestock, experiments with alfalfa hay 363-381

Oats—
Bacterial Stripe Blight of: Charlotte Elliott 811-824
blighting, symptoms 811

Oats—Continued. Page
glutelins, comparative study 1094–1096, 1097, 1106–1107, 1115–1117
inoculation with blight fungi and results 815–818
Odynerus catskillensis, predator of bud moth 359
Oil—
chemical composition of seeds producing 77–78
content of seeds, experimental results 1005–1017
iodine number, definition 76
Selection of Soy Bean for Quality of: L. J. Cole, E. W. Lindstrom, and C. M. Woodworth 75–95
soy-bean—
chemical analyses, results 81–82
iodine numbers, effects of selection 81–89
relation between quality and quantity in selection experiments 90–92
use in paint manufacture 75, 76
Oils, vegetable, iodine numbers 76, 78–79, 82
Oranges, molds, relation to temperature 925–931
Orchards, peach, effects of lead arsenate and lime spray mixture 317–321
Orchids, nema parasites of roots, description 976–981
Oryzenin, comparative study 1097, 1110, 1115, 1117, 1118
Osteoporosis, cause in dairy cows 625
Overman, O. R., and Wright, K. E.: The Effect of Inanition upon the Yield and Composition of Cows' Milk 637–644

Paradichlorobenzene—
as an Anthelmintic: G. Dikmans 645–649
as anthelmintic, effect on edibility of meat 648–649
toxicity to animals 648
Parasites—
dog, result of tapeworm larvae 474–476
intestinal—
cause of tumor in baboon 471–473
host relationships 474–480
removal with paradichlorobenzene 645–649
pine tip moth, Nebraska National Forest 330–332
soil nemas as 970–973
Parmele, H. B.; Fred, E. B.; Peterson, W. H.; McConkie, J. E.; and Vaughn, W. E.: Relation of Temperature to Rate and Type of Fermentation and to Quality of Commercial Sauerkraut 1021–1038
Peach—
disease-producing parasite, *Bacterium pruni* 219–221
orchards, effects of lead arsenate and lime spray mixtures 317–321
Peaches, canning, behavior of anthocyan pigments 107, 108, 109–112
Pear—
breakdown—
characteristics 984
Occurrence of Acetaldehyde in Bartlett Pears and Its Relation to: C. P. Harley and D. F. Fisher 983–993
scald—
characteristics 984
Occurrence of Acetaldehyde in Bartlett Pears and Its Relation to: C. P. Harley and D. F. Fisher 983–993
Pears—
acetaldehyde content, analysis for 985–991
Bartlett, Occurrence of Acetaldehyde in, and Its Relation to Scald and Breakdown: C. P. Harley and D. F. Fisher 983–993
cold storage, relation of scalding to acetaldehyde content 986–987, 990–991
Peas—
inoculation with various cultures, results 1043–1047
phospholipin content and its relation to other constituents 1007, 1008
root-nodules, strain specificity, demonstration 1043–1053
Strain Variations and Host Specificity of Root-nodule Bacteria of: G. E. Helz, I. L. Baldwin, and E. B. Fred 1039–1055
Pectase, presence in corn pollen 275

Penicillium— Page
digitatum, Growth, Relation to Temperature and to Citrus Fruit Decay Produced: H. S. Fawcett and W. R. Barger 925–931
italicum, Growth, Relation to Temperature and to Citrus Fruit Decay Produced: H. S. Fawcett and W. R. Barger 925–931
Periderm, wound formation in potato tuber 995–1000
Peterson, W. H.; McConkie, J. E.; Vaughn, W. E.; Parmele, H. B.; and Fred, E. B.: Relation of Temperature to Rate and Type of Fermentation and to Quality of Commercial Sauerkraut 1021–1038
Phillips, E. F.: The Utilization of Carbohydrates by Honeybees 385–428
Phospholipins in Seeds, Some Relations of to Other Constituents: N. B. Guerrant 1001–1019
Phosphorus—
Absorption by Wheat Seedlings, Effect of Hydrogen-ion Concentration on: Jehiel Davidson 335–346
balance in feed of cows, experimental results 633–635
content of seeds, experimental results 1005–1017
lipoid. *See* Phospholipins.
plant, study in chemical control of optimum fertilization 190–191
yield of irrigated alfalfa hay 378–379
Pigments, Anthocyan, Behavior in Canning: Charles W. Culpepper and Joseph S. Caldwell 107–132
Pigs. *See* Swine.
Pine—
Tip Moth, in Nebraska National Forest: Samuel A. Graham and Lynn G. Baumhofer 323–333
western yellow, taper curves, form-class 678–683, 698, 708, 711, 726–739, 740, 741
Pinus spp., injury by tip moth 325–326
Plakidas, A. G.: Strawberry Xanthosis (Yellows), a New Insect-borne Disease 1057–1090
Plant—
Production, Relation between Water and Potash in: Fred W. Morse 939–946
Solution, Current Mineral Nutrient Content as a Possible Means of Chemical Control of Optimum Fertilization: Basil E. Gilbert and Leo J. Hardin 185–192
Plants—
Absorption, The Effect on the Concentration of the Soil Solution: Carl S. Scofield 745–756
inoculation with legume bacteria, study 915–924
mosaic-diseased, microorganisms in, discussion 651, 667–669
Nemas Attacking, *Tylenchus pratensis* and Various Other: G. Steiner 961–981
solanaceous, Virus Diseases of, Cytological Studies on: Ismé A. Hoggan 651–671
solution content, correlation with fertilization 187
Plum, disease-producing parasite, *Bacterium pruni* 219–221
Poisoning, honey, report of occurrence 422
Pollen—
Age of and Other Factors Affecting Mendelian Ratios in Maize: J. H. Kempton 39–74
chemical analysis, historical review 261–262
corn—
chemical analysis and results 263–275
nitrogen content, determination experiments 262–275
Some Nitrogenous Constituents of: Carl G. Vinson 261–278
maize—
storage, effect on gametic ratios 68–73
storage, effect on color and waxiness 67–68, 72–73
storage, effect on viability 56–64, 70–73
viability—
effect of storage 56–64, 70–73
relation to chromosome numbers 782, 783

Page

Polysaccharides, feeding to bee larvae, results 445–446, 449, 450–451
Pomegranate blotch. *See* Blotch, pomegranate.
Pool—
root. *See* Richweed.
wort. *See* Richweed.
Poole, R. F.: A Root Rot of Lucretia Dewberry Caused by a Variety of *Collybia dryophila* Fr. 453–464
Pop corn—
experiments on popping quality 617–623
Popping Quality, Factors Affecting: J. G. Willier and Arthur M. Brunson 615–624
Potash, Relation to Water in Plant Production: Fred W. Morse 939–946
Potassium, Absorption by Wheat Seedlings, Effect of Hydrogen-ion Concentration on: Jehiel Davidson 335–346
Potato—
tuber, suberization process, description 995–1000
Tubers, Dormant and Nondormant, Metabolism of Nitrogen Compounds: William Newton 141–146
virus diseases, study of cell structure 662–667
Wound Periderm Formation in, as Affected by Temperature and Humidity: Ernst Artschwager 995–1000
Primate, Subcutaneous Tumor in, Caused by Tapeworm Larvae Experimentally Reared to Maturity in Dogs: Benjamin Schwartz 471–480
Protein—
content of—
seeds, experimental results 1005–1017
soy-bean, percentage in different varieties 78
Wheat, Increase or Decrease Caused by Applications of Nitrogen to Land: W. F. Gericke 133–139
wheat, estimation 1147–1150
Wheat, Hard Red Spring, Correlation with Kernel Texture and Test Weight per Bushel. J. H. Shollenberger and Corinne Fallyer Kyle 1137–1151
Proteins—
Corn and Tankage, The Supplementary Relations between, Determined by Metabolism Experiments on Swine: H. H. Mitchell and C. H. Kick 857–864
See also Glutelins; Glutenins.
Punica granatum, blotch of, study 465–469

Quack grass—
seed identification 544–546
Seeds, Comparison with Certain Wheat Grasses: Helen H. Henry 537–546
Quinhydrone electrode, determination of hydrogen-ion concentration of soils 825–834

Rabbit, host of tapeworms 478–479
Rainfall, effect on natural hybridization of wheat 881–883
Rations. *See* Feeds.
Ray fungus, study in spleen of hog 835–838
Reineke, L. H.: A Modification of Bruce's Method of Preparing Timber-yield Tables 843–856
Respiration, wheat, experiments 521–522
Rhizopus nigricans, cause of decay of cotton bolls 310–311
Rhyaciona frustrana bushnielli. *See* Moth, pine tip.
Rice, glutenin, comparative study 1097, 1110, 1115, 1117, 1118
Richweed (*Eupatorium urticaefolium*), or White Snakeroot, The Toxic Constituent of: James Fitton Couch 547–576
Ripening, pears, relation to acetaldehyde content 986–990
Root nodules—
pea, strain specificity, demonstration 1043–1053
position on roots, benefit to plants 1044, 1053
Root rot. *See* Rot, root.
Root-knot nematode, reactions of freesias toward 973–974

Page

Root-nodule Bacteria of the Pea Group, Strain Variations and Host Specificity of: G. E. Helz, I. L. Baldwin, and E. B. Fred 1039–1055
Roots, aerial, of vanilla, inoculation method 1131–1132
Rosette, wheat. *See* Mosaic, wheat.
Rot, black, of sugar cane, fungus causing 577–585
Rot, root—
dewberry, symptoms and cause 455–460
of Lucretia Dewberry Caused by Variety of *Collybia dryophila* Fr.: R. F. Poole 453–464
Vanilla. C. M. Tucker 1121–1136
Rots, soft, of citrus fruits, relation to temperature 925–931
Roundworms, removal from dogs with paradichlorobenzene 646–648, 649
Rubus procumbens Muhl. var. *roribaccus*. *See* Dewberry.
Rye—
glutelin, comparative study 1094, 1097, 1104–1106, 1115, 1117
hybridization, natural, with wheat 875, 876, 885
winter hardiness, comparison with wheat 502–504, 507–508, 511–516, 518, 520–525, 529, 531, 532.

Salmon, S. C., and Hill, Donald D.: The Resistance of Certain Varieties of Winter Wheat to Artificially Produced Low Temperatures 933–937
Salt, iodized—
feeding, recommendations 182
Loss of Iodine, Factors Influencing: Arnold H. Johnson and B. L. Herrington 167–183
Salts, absorption by plants, effect on soil solution 745–756
Sartoris, George B.: A Cytological Study of *Ceratostomella adiposum* (Butl.) Comb. Nov., the Black-rot Fungus of Sugar Cane 577–585
Sauerkraut—
Commercial, Temperature of, Relation to Rate and Type of Fermentation and to Quality of: H. B. Parmele, E. B. Fred, W. H. Peterson, J. E. McConkie, and W. E. Vaughn 1021–1038
reduction of methylene blue during fermentation 1033, 1035
temperature changes during fermentation 1023–1025
Scald, pear. *See* Pear scald.
Schwartz, Benjamin: A Subcutaneous Tumor in a Primate Caused by Tapeworm Larvae Experimentally Reared to Maturity in Dogs 471–480
Scofield, Carl S.: The Effect of Absorption by Plants on the Concentration of the Soil Solution 745–756
Secalenin, comparative study 1094, 1097, 1104, 1106, 1115, 1117
Seed—
Barley—
Dehulling with Sulphuric Acid to Induce Infection with Covered Smut: Fred N. Briggs 907–914
inoculation with smut, experimentation 907–914
cabbage, propagation 788–789
corn—
germination, optical tests, value 163–165
Sweet, Quality Determination by Means of the Optical Measurement of Leached Materials: Charles F. Hottes and Walter A. Huelsen 147–166
vigor, optical tests, value 163–165
cotton, linkage of characters 212–214
Seed-coat, cotton, character, inheritance in cross-breeding 197–211
Seedlings—
corn, soil nemas as parasites 970–973
Wheat—
Absorption of Phosphorus and Potassium by, Effect of Hydrogen-ion Concentration on: Jehiel Davidson 335–346
age, effect on absorption 340–341

Page

Seedlings—Continued.
Wheat—Continued.
sterilization, effect on development of mosaic ... 602–609, 613
susceptibility to mosaic ... 595–609, 612
Seeds—
constituents, study ... 1001–1019
digestion by cows, experiments and results ... 279–282
germination, effect on phosphorus and other constituents ... 1011–1017
maize. *See* Maize seeds.
oil-producing—
chemical composition ... 77–78
iodine numbers of oil from ... 76, 78–79, 82
Phospholipins in, Some Relations of to Other Constituents: N. B. Guerrant ... 1001–1019
Quack grass—
and Certain Wheat Grasses, Comparison: Helen H. Henry ... 537–546
identification ... 544–546
Smooth, Inheritance in Cotton: Thomas H. Kearney and George J. Harrison ... 193–217
Sex factors, segregation in ascomycete Neurospora ... 296–303
Shapovalov, Michael: The Two Most Common Decays of Cotton Bolls in the Southwestern States ... 307–312
Sheep, feeding experiments with alfalfa hay ... 364–365, 366–368
Shollenberger, J. H., and Kyle, Corinne Failyer: Correlation of Kernel Texture, Test Weight per Bushel, and Protein Content of Hard Red Spring Wheat ... 1137–1151
Silage, Kafir and Cane, Utilization of Grain in, by Dairy Cows: R. B. Becker and Willis D. Gallup ... 279–282
Silk fibers, screening effect on ultra-violet rays ... 254–259
Skin, Protection Afforded against Sunburn by Textile Fibers: Katherine Hess, J. O. Hamilton, and Margaret Justin ... 251–259
Smut—
cotton bolls, study ... 307–312
Covered, of Barley, Infection Induced by Dehulling Seed with Sulphuric Acid: Fred N. Briggs ... 907–914
Smythe, C. V.; Forbes, E. B.; Kriss, Max; Braman, Winfred W.; Jefferies, C. D.; Swift, R. W.; French, Rowland B.; and Miller, Russell C.: The Influence of Position of Cattle, as to Standing and Lying, on the Rate of Metabolism ... 947–960
Snakeroot, White—
(*Eupatorium urticaefollum*), or Richweed, The Toxic Constituent of: James Fitton Couch ... 547–576
Snyder, E. F.: A Comparative Study of the Quinhydrone and Hydrogen Electrodes for Determining the Hydrogen-ion Concentration of Soils ... 825–834
Sodium—
Chlorate, and Other Chemicals, as Herbicides for Field Bindweed, Experiments: W. L. Latshaw and J. W. Zahnley ... 757–767
hypochlorite, effect on field bindweed ... 765, 766
Soil—
alkali, cause of strawberry xanthosis, disproval ... 1062, 1064–1066, 1089
Factors Influencing the Development of the Mosaic Disease in Winter Wheat: Robert W. Webb ... 587–614
infestation, effect on development of wheat mosaic ... 598–602
moisture—
content, relation to winterkilling of wheat ... 937
relation to potash in plant production ... 939–946
nema, injury to corn seedlings ... 970–973
nitrogen application, effect on protein content of wheat ... 133–139
organism, cause of strawberry xanthosis, disproval ... 1062, 1063, 1066–1068, 1089
Solution, Concentration, The Effect of Absorption by Plants on: Carl S. Scofield ... 745–756
temperature, effect on spread of cabbage yellows ... 789–790

Page

Soils—
analyses, quinhydrone and hydrogen methods ... 825–834
Hydrogen-ion Concentration of, a Comparative Study of the Quinhydrone and Hydrogen Electrodes for Determining: E. F. Snyder ... 825–834
Soja max. *See* Bean, soy.
Solanaceae, virus diseases, cytological studies ... 651–671
Solution, Soil, Concentration, The Effect of Absorption by Plants on: Carl S. Scofield ... 745–756
Solutions, concentrated, effect on wheat seedlings ... 335–346
Sorghums—
feeding experiments with dairy cows ... 279–282
seeds, phospholipin content and its relation to other constituents ... 1004–1006, 1008–1017
Sotola, Jerry: Relation of Maturity to the Nutritive Value of First, Second, and Third Cuttings of Irrigated Alfalfa ... 361–383
Soy bean. *See* Bean, soy.
Soy beans. *See* Beans, soy.
Soy-bean oil. *See* Oil, soy-bean.
Spelt—
glutenin, comparative study ... 1097, 1100–1101, 1115, 1117
hybridization, natural, studies ... 875–876, 878–880, 883–884, 886, 887
Spelta-glutenin, comparative study ... 1097, 1100–1101, 1115, 1117
Sphaeronema adiposum, identity ... 577, 585
Spider, red, cause of strawberry xanthosis, disproval ... 1062, 1064, 1089
Spilonota ocellana D. & S., Bud Moth, Notes on the Life History: S. W. Frost ... 347–359
Spleen, hog, nodular lesions, study ... 835–841
Spray Mixtures, Lead Arsenate and Lime, A Study: P. A. Van der Meulen and E. R. Van Leeuwen ... 313–321
Squaw weed. *See* Richweed.
Starch, feeding to bees, experimental results ... 415–419
Steiner, G.: *Tylenchus pratensis* and Various Other Nemas Attacking Plants ... 961–981
Steria. *See* Richweed.
Storage—
Apples, Evaporated, Deterioration in, Relation to Atmospheric Humidity: Charles W. Culpepper and Joseph S. Caldwell ... 889–906
salt, iodized, retention of iodine ... 170–181
Strawberries, resistance to xanthosis ... 1087, 1088–1090
Strawberry—
crown, physiological anatomy ... 486–491
Physiological Anatomy of, Studies: Philip R. White ... 481–492
roots, physiological anatomy ... 481, 484–486, 491–492
runner, physiological anatomy ... 481, 482–484, 491
xanthosis—
cytological and histological studies ... 1083–1087
(Yellows), a New Insect-borne Disease: A. G. Plakidas ... 1057–1090
Stripe Blight, Bacterial, of Oats: Charlotte Elliott ... 811–824
Sugar Cane, Black-rot Fungus of, *Ceratostomella adiposum* (Butl.) Comb. Nov., a Cytological Study: George B. Sartoris ... 577–585
Sugar-beet nematode, similarity to root-knot nematode ... 973–974
Sugars, feeding to—
bee larvae, results ... 436–449
bees, experimental results ... 407–413, 420–423, 424
See also Carbohydrates.
Sulphuric Acid, Use in Dehulling Barley Seed to Induce Infection with Covered Smut: Fred N. Briggs ... 907–914
Sunburn, Protection Afforded the Skin by Textile Fibers: Katherine Hess, J. O. Hamilton, and Margaret Justin ... 251–259
Sunlight, effect on iodized salt ... 175–178, 181, 182
Sweet—
Corn, Seed, Quality Determination by Means of Official Measurement of Leached Materials: Charles F. Hottes and Walter A. Huelsen ... 147–166
pea, inoculation experiments ... 1048–1051

Page

Swift, R. W.; French, Rowland B.; Miller, Russell C.; Smythe, C. V.; Forbes, E. B.; Kriss, Max; Braman, Winfred W.; and Jeffries, C. D.: The Influence of Position of Cattle, as to Standing and Lying, on the Rate of Metabolism.. 947-960
Swine—
Metabolism Experiments on, to Determine the Supplementary Relation between the Proteins of Corn and of Tankage: H. H. Mitchell and C. H. Kick 857-864
Nodular Lesions in Spleen Caused by Actinomyces Infection: G. T. Creech.. 835-841
resistance to actinomycosis..... 840-841

Tachinidae, parasites of pine tip moth..... 331
Tankage, Proteins, the Supplementary Relation to Proteins of Corn, Determined by Metabolism Experiments on Swine: H. H. Mitchell and C. H. Kick..... 857-864
Taper Curves, Form-class, and Volume Tables, and Their Application: C. Edward Behre..... 673-744
Tapeworm larvae—
description..... 472-473
Reared to Maturity in Dog Experimentally, Cause of Subcutaneous Tumor in a Primate: Benjamin Schwartz..... 471-480
Tapeworms, primate, transmission to dogs, effects..... 474-478
Taylor, J. W., and Leighty, Clyde E.: Studies in Natural Hybridization of Wheat..... 865-887

Temperature—
effect on—
development of wheat mosaic.. 590-597, 610-611
natural hybridization of wheat..... 882-883
potency of mosaic virus of tobacco..... 3-7, 10
strawberry xanthosis..... 1078-1083
wound periderm in potato tuber..... 995-1000
Relation to Rate and Type of Fermentation and to Quality of Commercial Sauerkraut: H. B. Parmele, E. B. Fred, W. H. Peterson, J. E. McConkie, and W. E. Vaughn..... 1021-1038

Temperatures—
lethal, for wheat, determination..... 522-524
Low, Artificially Produced, Resistance to by Certain Varieties of Winter Wheat: Donald D. Hill and S. C. Salmon..... 933-937
Teosinte, glutenin, comparative study..... 1097, 1108, 1115, 1117
Teozeanin, comparative study. 1097, 1108, 1115, 1117
Textile Fibers, Protection Afforded the Skin against Sunburn: Katherine Hess, J. O. Hamilton, and Margaret Justin.... 251-259
Textiles, screening effect on ultra-violet rays..... 251-259
Theropithecus obscurus, tumor caused by tapeworm, description..... 471-473
Timber—
basal area, preparation of tables for..... 843-851
stands, preparation of tables for..... 852-854
taper curves, form-class, and volume tables..... 673-744
Timber-yield Tables, A Modification of Bruce's Method of Preparing: L. H. Reineke..... 843-856
Tip moth, pine. *See* Moth, pine tip.
Titratable acidity, measure of fermentation in sauerkraut..... 1025-1031, 1038
Tobacco—
leaf mottling. *See* Mosaic, tobacco.
mosaic. *See* Mosaic, tobacco.
Trees—
basal area, preparation of tables for..... 843-851
volume tables and form-class taper curves 673-744
Tremetol, toxic, constituent of richweed, study..... 553-572
Triphleps sp., predator of bud moth..... 359
Trisaccharides, feeding to bee larvae, results..... 443-445, 449, 450-451
Triticum. *See* Emmer; Spelt; Wheat.
Tubers, potato, nitrogen compounds..... 141-146
Tucker, C. M.: Vanilla Root Rot..... 1121-1136

Page

Tumor, Subcutaneous, in a Primate, Caused by Tapeworm Larvae Experimentally Reared to Maturity in Dogs: Benjamin Schwartz..... 471-480
Turner, William A.; Harding, T. Swann; and Hartman, Arthur M.: The Relative Assimilation by Dairy Cows of Clover and Alfalfa Hays and of Rations of Different Calcium and Phosphorus Content... 625-635
Tylenchus—
dipsaci, parasitism on stems and roots of plants..... 975
pratensis, and Various Other Nemas Attacking Plants: G. Steiner..... 961-981

Ultra-violet rays, transmission by textile fibers, study..... 251-259
Ustilago hordei, barley, infection study..... 907-914

Van der Meulen, P. A., and Van Leeuwen, E. R.: Study of Lead Arsenate and Lime Spray Mixtures..... 313-321
Van Leeuwen, E. R., and Van der Meulen, P. A.: A Study of Lead Arsenate and Lime Spray Mixtures..... 313-321
Vanilla—
"pom-pom," resistance to root rot..... 1134
Root Rot: C. M. Tucker..... 1121-1136
roots, structure and habits..... 1121-1122
Vaughn, W. E.; Parmele, H. B.; Fred, E. B.; Peterson, W. H.; and McConkie, J. E.: Relation of Temperature to Rate and Type of Fermentation and to Quality of Commercial Sauerkraut..... 1021-1038
Vegetables—
canning, behavior of anthocyan pigments..... 118, 121-122, 128-129
dried, storage factors..... 889
Vetch, hairy, inoculation experiments.... 1051, 1052
Vicia—
faba, inoculation experiments..... 1048
villosa, inoculation experiments..... 1051, 1052
Vinson, Carl G.: Some Nitrogenous Constituents of Corn Pollen..... 261-278
Virus—
concentration, effect of gravity..... 28-34
dilution, effect on inoculation results.... 20-25
diseases—
cell inclusions in host plants..... 656-669
of Solanaceous Plants, Cytological Studies: Ismé A. Hoggan..... 651-671
extracts, variability studies..... 34-36
mosaic. *See* Mosaic virus.
plant-culture methods of study, with results..... 15-25
purification, experiments and results.... 25-34
quantitative studies, factors affecting results..... 14-15
strawberry, cause of xanthosis.... 1068-1077, 1089
Studies, Quantitative and Purification Methods: H. H. McKinney..... 13-38
Viruses, plant, microorganisms of..... 651, 667-669
Vitamin B, Content of the Feed Eaten, Relation to (Vitamin B Content of) Milk Produced: S. I. Bechdel and Hannah E. Honeywell..... 283-288
Vitamins, requirements for bees..... 388-389
Volume Tables, and Form-class Taper Curves, and Their Application: C. Edward Behre..... 673-744

Walker, J. C.; Monteith, John, jr.; and Wellman, F. L.: Development of Three Midseason Varieties of Cabbage Resistant to Yellows (*Fusarium conglutinans* Woll.)..... 785-809
Water—
irrigation, salts absorption, study..... 745-756
Relation to Potash in Plant Production: Fred W. Morse..... 939-946
Webb, Robert W.: Soil Factors Influencing the Development of the Mosaic Disease in Winter Wheat..... 587-614
Wellman, F. L.; Walker, J. C.; and Monteith, John, jr.: Development of Three Midseason Varieties of Cabbage Resistant to Yellows (*Fusarium conglutinans* Woll.)..... 785-809

Wheat— Page
absorption of nutrients, effect on concentration of solution ... 749–754
breeding for cold resistance ... 935–937
germination, effect of temperature and moisture of soil ... 590–592
glutenin, comparative study ... 1092–1094, 1097, 1099–1100, 1101–1102, 1115, 1117, 1118
Grasses, Seeds, Comparison with Quack Grass: Helen H. Henry ... 537–546
growth stages, effect of nitrogen application ... 134–139
hard red, protein determination ... 1147–1150
Hybridization, Natural, Studies: Clyde E. Leighty and J. W. Taylor ... 865–887
hybrids, moisture content ... 527–528
inheritance of winter hardiness ... 223–236, 493–535
leaves, juice content ... 505–521
mosaic disease, soil factors influencing development ... 587–614
mottling. *See* Mosaic, wheat.
nitrogen application, effect on growth ... 134–139
parts, absorption of potassium and phosphorus ... 343
Protein Content, Increase or Decrease, Caused by Applications of Nitrogen to Land: W. F. Gericke ... 133–139
rosette. *See* Mosaic, wheat.
seeding date, effect on plant development ... 595–596
Seedlings—
Absorption of Phosphorus and Potassium, Effect of Hydrogen-ion Concentration on: Jehiel Davidson ... 335–346
sterilization, effect on development of mosaic ... 602–609, 613
seeds, phospholipin content and its relation to other constituents ... 1006, 1008
spring, hard red—
baking qualities ... 1137–1151
Correlation of Kernel Texture, Test Weight per Bushel, and Protein Content of: J. H. Shollenberger and Corinne Failyer Kyle ... 1137–1151
milling qualities ... 1137–1151
weight per bushel, correlation study of grading ... 1137–1151
Winter—
Hardiness and Growth Habit, Inheritance in Crosses of Marquis with Minhardi and Minturki: H. K. Hayes and O. S. Aamodt ... 223–236
Hardiness, Comparative Studies: John H. Martin ... 493–535
Resistance of Certain Varieties to Artificially Produced Low Temperatures: Donald D. Hill and S. C. Salmon ... 933–937
Soil Factors Influencing the Development of the Mosaic Disease in: Robert W. Webb ... 587–614
winterkilling, relation to soil moisture ... 937
Wheats—
cold resistance, correlation with growth habit ... 227–235
cross-breeding for winter hardiness and growth habit ... 223–236
growth habit, correlation with cold resistance ... 227–235
Wheats—Continued. Page
Inheritance of Winter Hardiness and Growth Habit in Crosses of Marquis with Minhardi and Minturki: H. K. Hayes and O. S. Aamodt ... 223–236
spring, winter hardiness, index figures ... 233
Winter Hardiness and Growth Habit, Inheritance in Crosses of Marquis with Minhardi and Minturki: H. K. Hayes and O. S. Aamodt ... 223–236
White—
Philip R: Studies of the Physiological Anatomy of the Strawberry ... 481–492
sanicle. *See* Richweed.
snakeroot. *See* Snakeroot, white.
top. *See* Richweed.
Willier, J. G. and Brunson, Arthur M.: Factors Affecting the Popping Quality of Pop Corn ... 615–624
Winter Hardiness, Wheat—
and Growth Habit, Inheritance in Crosses of Marquis with Minhardi and Minturki: H. K. Hayes and O. S. Aamodt ... 223–236
Comparative Studies: John H. Martin ... 493–535
Winterkilling, wheat, relation to moisture content of soil ... 937
Wolf, Frederick A.: Pomegranate Blotch ... 465–469
Woodworth, C. M.; Cole, L. J.; and Lindstrom, E. W.: Selection for Quality of Oil in Soy Beans ... 75–95
Wool—
cotton, *See* Cotton, Garo Hill.
fiber, screening effect on ultra-violet rays ... 254–259
Worms, intestinal, of dogs, removal with paradichlorobenzene ... 645–648, 649
Wound Periderm Formation in the Potato as Affected by Temperature and Humidity: Ernst Artschwager ... 995–1000
Wright, K. E., and Overman, O. R.: The Effect of Inanition upon the Yield and Composition of Cows' Milk ... 637–644

Xanthosis, strawberry—
description ... 1058–1061
etiology ... 1062–1068, 1089
Yellows, a New Insect-borne Disease: A. G. Plakidas ... 1057–1090

Yellows—
Cabbage—
Development of Three Midseason Varieties Resistant to: J. C. Walker, John Monteith, jr., and F. L. Wellman ... 785–809
spread through infested soil ... 790, 794, 799, 803, 804, 806
Strawberry Xanthosis, a New Insect-borne Disease: A. G. Plakidas ... 1057–1090

Zahnley, J. W., and Latshaw, W. L.: Experiments with Sodium Chlorate and Other Chemicals as Herbicides for Field Bindweed ... 757–767
Zea mays—
chromosomes, characteristics ... 770–776
Supernumerary Chromosomes in: A. E. Longley ... 769–784
Zeanin, comparative study ... 1096, 1097, 1107, 1115, 1117